

The background of the image is a dark blue, almost black, geometric pattern composed of various sized triangles and polygons, creating a low-poly, crystalline effect. The text is centered in the lower half of the image.

azerco

SOUND | MUSIC | STAGE

azerco

Who are we?

Since 2004, "Azerco" company has been selling and renting audio and music equipment in Azerbaijan.


Official institutions, television and radio stations, filming pavilions, productions, restaurants, clubs, pubs, hotels, etc. is engaged in the sale and rental of equipment related to such fields.

We wish Shure and Korg, the official founders of companies such as RODE, Samson, Dynacord, RCF, among the leading world brands in this field, in Azerbaijan.


Activities in the relevant fields include sales of products of other companies (Sennheiser, Sony, Panasonic, BOYA, Seikaku, Roxton, Bespeco, Global truss, Linsen, PPL, Lightlink, DSPPA, DBX, Behringer, Audio - technica, Aux - dio, etc.). we organize.

Organization of events. We professionally rent audio and photo-video equipment, LED monitors for events such as concerts, conferences and presentations.



 +994 50 226-07-90

 info@azerco.az

 www.azerco.az

Contents

List of products located in the catalog

Electric guitars

The page where the products of the category are located _____01 - 04

Acoustic guitars

The page where the products of the category are located _____05 - 08

Bass guitars

The page where the products of the category are located _____09 - 10





Electric guitars

NERCO



№ 01

Ibanez GART60-WNS

Ibanez

The GIO Series GART60WNS from Ibanez is a solid electric guitar built with a single-cut poplar body with an attractive walnut sunburst finish and a slim, bolt-on maple neck with a 22-fret rosewood fretboard.

The Full Tune III bridge and tailpiece ensure the instrument's natural resonance and sustain.

Type Electric guitar

Neck Type: GART Maple

Trunk: Poplar

Fingerboard: Engineered New Zealand Pine/White dot inlay

Hits: 22, average

Bridge: Full Tune III bridge

Tailpiece: Full Tune III tailpiece

Neck Pickup: Infinity R (Humbucker, Passive/Ceramic)

Bridge Pickup: Infinity R (Humbucker, passive/ceramic)

Hardware Color: Chrome



№ 02

Ibanez Gio GRX40-TFB

Ibanez

Type Electric guitar

FAT 6 bridge for fine tuning

GRX maple neck for better grip

Double cut basswood body

Body Material: Basswood

Body type: Double cut

Neck Material: Maple

Neck type: GRX

Bridge: FAT 6 bridge

Fretboard: Rosewood

Inlays: White dot

Curtains: Jumbo size

Color: Three Fade Burst

Hardware color: chrome

Apple: Infinity R

Product weight: 3.6 kg

Product size: 104.9x43.4x9.1 cm



№ 03

Ibanez GRX40 BKN

Ibanez

Type Electric guitar

RG electric guitar from the Ibanez Gio series

Poplar body

Bolt-on maple neck

Jatoba -fret board with dot inlays

"GRX" neck profile

An Ibanez Infinity RS single coil pickup in the neck position

Ibanez Infinity RS single coil pickup in center

Ibanez Infinity R Humbucker in bridge position

Ibanez T106 Tremolo

Cast tuners

Series: Gio

Design: RG

Trunk: Poplar

Neck: Maple



№ 04

Ibanez GRX55B-VRD

Ibanez

Type Electric guitar
Neck type GRX Maple neck
Body Poplar body
Fret Middle frets
Bridge Std. tremolo bridge
Neck Pickup Infinity R (H) Neck Pickup (Passive/Ceramic); Mid Pickup Infinity RS (S) Mid Pickup (Passive/Ceramic)
Infinity R (H) Bridge Pickup (Passive/Ceramic)
Factory setting 1E, 2B, 3G, 4D, 5A, 6E
String size .009/.011/.016/.024/.032/.042

Hardware color Black
NECK MEASUREMENTS

Size: 648mm/25.5"
a : 42 mm wide in GAZ
b: 57mm wide at 22F
c : 1F at 19.5 mm thick
d : 12F in thickness 21.5 mm
Radius: 305mmR



№ 05

Ibanez GRX55B-YE

Ibanez

Type Electric guitar
Neck type GRX Maple neck
Body Poplar body
Fretboard Engineered New Zealand Pine fretboard and White dot inlay
Fret Middle frets
Bridge Std. tremolo bridge
Mid Pickup Infinity RS (S) Mid Pickup (Passive/Ceramic)
Infinity R (H) Bridge Pickup (Passive/Ceramic)
Factory setting 1E, 2B, 3G, 4D, 5A, 6E
String size .009/.011/.016/.024/.032/.042

Hardware color Black
NECK MEASUREMENTS

Size: 648mm/25.5"
a : 42 mm wide in GAZ
b: 57mm wide at 22F
c : 1F at 19.5 mm thick
d : 12F in thickness 21.5 mm
Radius: 305mmR



№ 06

Ibanez GSA60-BKN

Ibanez

Type Electric guitar
Neck Type GSAMaple neck
Top/back/trunk
Fret Middle frets
The number of boards is 22
Bridge T102 bridge
Thread area 10.5 mm
Neck Pickup Infinity RS (S) Neck Pickup Passive/Ceramic
Middle pickup Infinity RS (S) middle pickup Passive/Ceramic

Factory tuning 1E,2B,3G,4D,5A,6E
String size .009/.011/.016/.024/.032/.042

Hardware color Chrome
Size: 648mm/25.5"

a : 42 mm wide in GAZ
b: 57mm wide at 22F
c : 1F at 19.5 mm thick
d : 12F in thickness 21.5 mm
Radius: 305mmR



№ 07

Ibanez GSA60-BS

Ibanez

Type Electric guitar
Neck Type GSAMaple neck
Top/back/trunk
Fretboard Bound Purpleheart fretboardWhite dot inlay
Fret Middle frets
The number of boards is 22
Bridge T102 bridge
Thread area 10.5 mm
Neck Pickup Infinity RS (S) Neck PickupPassive/Ceramic
Middle pickup Infinity RS (S) middle pickupPassive/Ceramic
Bridge Pickup Infinity R (H) Bridge Pickup Passive/Ceramic
Factory tuning 1E,2B,3G,4D,5A,6E
String size .009/.011/.016/.024/.032/.042
Hardware color Chrome
Size: 648mm/25.5"
a : 42 mm wide in GAZ; b: 57mm wide at 22F; c : 1F at 19.5 mm thick; d : 12F in thickness 21.5 mm
Radius: 305mmR



№ 08

Ibanez S521

Ibanez

Type Electric guitar
Neck type Wizard III Maple neck
Top/back/body Meranti body
Fretboard Rosewood fretboardOff-set white dot inlay
Fret Jumbo frets
The number of curtains is 24
Bridge F106 bridge
Wire area 10.5 mm
Neck pickup Quantum (H) neck pickupPassive/Ceramic
Bridge pickup Quantum (H) bridge pickupPassive/Ceramic
Strings D'Addario® EXL110
String size .010/.013/.017/.026/.036/.046
Hardware color Cosmo Black
Size: 648mm/25.5"
a : 43 mm wide in GAZ; b: 58mm wide at 24F; c : 1F in thickness 19mm; d : 12F in thickness 21mm
Radius: 400mmR



Acoustic guitars



№ 09

Ibanez AF55 TF

Ibanez

Type Acoustic guitar
 Neck type AF ArtcoreNyatohSet's neck
 Top/Back/Side Linden top Linden backLinden sides
 Fretboard Bound Walnut fretboard White dot inlay
 Fret Middle frets
 The number of boards is 20
 Bridge Gibraltar Performer bridge
 Thread area 10.5 mm
 Tail section VT06 tail section
 Neck pickup Infinity R (H) neck pickupPassive/Ceramic
 Bridge Pickup Infinity R (H) Bridge Pickup Passive/Ce-
 ramic
 Factory tuning 1E,2B,3G,4D,5A,6E
 String size .010/.013/.017/.030/.042/.052
 Hardware color xchrome



№ 10

Ibanez PC12MHCE-OPN

Ibanez

Type Acoustic guitar
 Body shape Cutaway Grand Concert body
 Upper Okoume top
 Back and sides Okoume back and sides of Okoume
 Neck PCNyatoh neck; Fretboard Laurel fretboard; Bridge
 Laurel Bridge; Inlay White dot inlay
 Soundhole rosette Tortoise shell
 Tuning machine Chrome Die-cast tuners
 The number of boards is 20
 Bridge pins Ibanez Advantage™
 Strings Ibanez IACS6C
 String size .012/.016/.024/.032/.042/.053
 Size: 634mm/25"
 a : 42 mm wide in GAZ; b: 54mm wide at 14F; c : 1F in
 thickness 21mm; d : 7F in thickness 22.5 mm
 Radius: 240mmR; Thread area 11 mm
 Factory tuning 1E,2B,3G,4D,5A,6E
 Pickup Ibanez Saddlebag; Preamp Ibanez AEQ-2T
 advanced amplifier and onboard tuner
 Output jack 1/4" output; Battery 9V x1



№ 11

Ibanez PF 1512 NT

Ibanez

Type Acoustic guitar
 Body shape Dreadnought body
 Top Spruce ball; Back and sides Okoume back and sides
 of Okoume; Neck PFNyatoh neck
 Fretboard Laurel fretboard; Bridge Laurel Bridge; Inlay
 White dot inlay
 Soundhole rosette Black and White multi
 Tuning machine Chrome Die-cast tuners; The number of
 curtains is 20
 Bridge pins Ibanez Advantage™
 Strings Ibanez IACS12C
 String size .010/.010/.014/.014/.023/.008/.030/.012/.039/.018/.047/.
 027
 String gap 11 mm
 Size: 648mm/25.5"; a : Width 45mm in GAZ; b: Width
 57mm in 14F; c : Thickness 21mm in 1F; d : Thickness
 22.5mm in 7F
 Radius: 400mmR



№ 12

Ibanez PF15-BK

Ibanez

Type Acoustic guitar

Body shape Dreadnought body

Top Spruce ball; Back and sides Okoume back and sides of Okoume; Neck PFNyatoh neck

Fretboard Laurel fretboard; Bridge Laurel Bridge; Inlay Black dot inlay

Soundhole rosette Black and White multi

Tuning machine Chrome Die-cast tuners; The number of curtains is 20

Bridge pins Ibanez Advantage™

Strings Ibanez IACS12C

String size
.010/.010/.014/.014/.023/.008/.030/.012/.039/.018/.047/.027

String gap 11 mm

Size: 648mm/25.5"; a : Width 45mm in GAZ; b: Width 57mm in 14F; c : Thickness 21mm in 1F; d : Thickness 22.5mm in 7F

Radius: 400mmR



№ 13

Ibanez PF15ECE NT

Ibanez

Type Acoustic guitar

Body shape Cutaway Dreadnought body

Top Spruce ball; Back and sides Okoume back and sides of Okoume; Neck PFNyatoh neck; Bridge Laurel Bridge

Soundhole rosette Black and White multi; Tuning machine Chrome Die-cast tuners

The number of curtains is 20

Bridge pins Ibanez Advantage™; Strings Ibanez IACS6C

String gauge .012/.016/.024/.032/.042/.053; String gap 11 mm

Factory tuning 1E,2B,3G,4D,5A,6E; Pickup Ibanez Underlyer

Preamplifier Ibanez AEQ-2T preamplifier and onboard tuner

Output jack 1/4" output; Battery 9V x1

Size: 648mm/25.5"; a : Width 42mm in GAZ; b: Width 54mm in 14F; c : Thickness 21mm in 1F; d : Thickness 22.5mm in 7F

Radius: 240mmR



№ 14

Ibanez PF15ECE-BK

Ibanez

Type Acoustic guitar

Body shape Cutaway Dreadnought body

Top Spruce ball; Back and sides Okoume back and sides of Okoume; Neck PFNyatoh neck; Bridge Laurel Bridge

Soundhole rosette Black and White multi; Tuning machine Chrome Die-cast tuners

The number of curtains is 20

Bridge pins Ibanez Advantage™; Strings Ibanez IACS6C

String gauge .012/.016/.024/.032/.042/.053; String gap 11 mm

Factory tuning 1E,2B,3G,4D,5A,6E; Pickup Ibanez Underlyer

Preamplifier Ibanez AEQ-2T preamplifier and onboard tuner

Output jack 1/4" output; Battery 9V x1

Size: 648mm/25.5"; a : Width 42mm in GAZ; b: Width 54mm in 14F; c : Thickness 21mm in 1F; d : Thickness 22.5mm in 7F

Radius: 240mmR



№ 15

Ibanez PF15-NT

Ibanez

Type Acoustic guitar

Body shape Dreadnought body

Top Spruce ball; Back and sides Okoume back and sides of Okoume; Neck PFNyatoh neck

Fretboard Laurel fretboard; Bridge Laurel Bridge; Inlay Black dot inlay

Soundhole rosette Black and White multi

Tuning machine Chrome Die-cast tuners; The number of curtains is 20

Bridge pins Ibanez Advantage™

Strings Ibanez IACS12C

String size
.010/.010/.014/.014/.023/.008/.030/.012/.039/.018/.047/.027

String gap 11 mm

Size: 648mm/25.5"; a : Width 45mm in GAZ; b: Width 57mm in 14F; c : Thickness 21mm in 1F; d : Thickness 22.5mm in 7F

Radius: 400mmR



Bass guitars



№ 16

Ibanez GSR180BK

Ibanez

Type Bass guitar

Top/back/trunk

Fretboard Purple heart fretboard White dot inlay

Fret Middle frets

The number of boards is 22

Bridge B10 bridge

Thread area 19 mm

Neck Pickup Dynamix J Neck PickupPassive

Bridge pickup Dynamix J bridge pickupPassive

Factory setting 1G,2D,3A,4E

String gauge .045/.065/.085/.105

Hardware color Chrome

Size: 864mm/34"

a : 41 mm wide in GAZ

b : 22F at 62mm wide

c : 1F at 21mm thickness

d : 12F in thickness 22mm

Radius: 305mmR



RODE
SAMSON
RCF
DYNACORD

azerco

SOUND | MUSIC | STAGE



+994 50 226-07-90



info@azerco.az



www.azerco.az