



azerco

The logo features the word "azerco" in a bold, lowercase, sans-serif font. The letters are white and stand out against a dark blue background with a geometric, low-poly pattern. Below the main text is a tagline in a smaller, uppercase, sans-serif font, also in white.

SOUND | MUSIC | STAGE

azerco

Who are we?

Since 2004, "Azerco" company has been selling and renting audio and music equipment in Azerbaijan.


Official institutions, television and radio stations, filming pavilions, productions, restaurants, clubs, pubs, hotels, etc. is engaged in the sale and rental of equipment related to such fields.

We wish Shure and Korg, the official founders of companies such as RODE, Samson, Dynacord, RCF, among the leading world brands in this field, in Azerbaijan.


Activities in the relevant fields include sales of products of other companies (Sennheiser, Sony, Panasonic, BOYA, Seikaku, Roxton, Bespeco, Global truss, Linsen, PPL, Lightlink, DSPPA, DBX, Behringer, Audio - technica, Aux - dio, etc.). we organize.

Organization of events. We professionally rent audio and photo-video equipment, LED monitors for events such as concerts, conferences and presentations.



 +994 50 226-07-90

 info@azerco.az

 www.azerco.az

Contents

List of products located in the catalog

Electro pianos

The page where the products of the category are located _____ 01 - 03

Processors and Effects

The page where the products of the category are located _____ 04 - 05

Amplifiers

The page where the products of the category are located _____ 06 - 10

Microphones

The page where the products of the category are located _____ 11 - 13

Accessories

The page where the products of the category are located _____ 14 - 17





Electro pianos



№ 01

NUX WK 310

NUX

Number of keys: 88
Keyboard type: step hammer
Polyphony (maximum): 189
Preset sounds: 128
Preset songs: 52
Songs to write: 1
Tracks to record: 1
Speakers: 4.5" x 2 @10W
Power supply: DC12V/2A
Controls: Metronome, Record, Play, Function, Volume
Features: Bluetooth 4.0
Features II: Connections: DC 12V, USB MIDI, AUX IN, LINE OUT, Headphones X 2, Pedal
Features III: 4 speaker loops, Pitch shift, Metronome, Dual keyboard, Dual sounds, Percussion tone, Delay and Reverb
Width: 135.4 cm
Height: 77.2 cm
Depth: 33.2 cm
Weight: 40 kg



№ 02

NUX WK 520

NUX

Style: Upright, PVC Rosewood finish
Keyboard: 88-key scale hammer-operated keyboard
Sound Chip: Dream 5708 DSP, 300 built-in tones, 100 built-in Rhythms and 52 demo songs
Max. Polyphony: 180(189)
Wireless Method: Bluetooth 4.0
Display: 7 segments x 3 LEDs
Piano study lights: 88 sets x 2 columns
Controls: Play/Stop, Rhythm, Start/STOP|SYNC Start, Auto Chord, Variation, In/End, Dual Keyboard, Metronome, Dual Voice...
Effects: Delay and Reverb
Master volume control
Pedals: Soft, Sostenuto, Damper



№ 03

NUX WK 400

NUX

Keyboard: 88-key hammer-operated keyboard
Dynamic curves: Light, Standard, Heavy, On/Off
Keyboard modes: Whole, Dual (volume adjustable), Split (split point adjustable), Twin Piano
Pedals: Soft Pedal (Left), Damper Pedal (Middle), Stop Pedal (Right)
Melodies: 128
Keyboard percussion instruments: 1 set
Songs: 52
Max. Polyphony: 64x2
Key Transposition: -12~+12 (in semitones)
Effects: Reverb (On/Off), Chorus (On/Off)
Tempo: 20~280bpm
Stroke: 0~6



№ 04

NUX NPK-10

NUX

The rich sound of the legendary acoustic grand piano - Hamburg STEINWAY;

Correct volume distribution between different parts of the keyboard (without compression)

Weighted, hammer-action keyboard with ivory texture and keys, giving the most authentic piano feel;

3-touch keyboard sensor with 5 kinds of touch sensitivity for different styles; Among these types of sensitivity, it is easy to choose the most suitable one for a certain performer: if it is still difficult for a child to press the keys, then you can choose the most sensitive level, where the reaction to pressing appears a little earlier. .

Ability to connect 3 pedal blocks,

Ability to connect a smartphone or tablet via Bluetooth.

Internal acoustic system with a total power of 20 W;

2 headphone jacks (teacher-student);

Easily remembers and helps you quickly recall your favorite settings.



MG-300 MODEL LINE GUITAR PROCESSOR



EDIT/EXIT SAVE MODE
JAM TAP PEDAL
GROUP MODULE

SELECT GAIN LEVEL MASTER

LOOP REC/PLAY/OLR STOP/DOUBLE PRESS CLEAR/PRESS & HOLD 1/2s
BYPASS TUNER DRUM

Processors and effects



№ 05

NUX AC80 Stageman II

NUX

The NUX Stageman II rechargeable amplifier is the perfect acoustic-electric guitar companion when you want to perform anywhere and be heard loud and clear without carrying a bunch of gear.

80 watt rich warm sounding acoustic amplifier with 6.5" premium speaker and 1" tweeter

2 independent channels with routing adjustable post effects

Acoustic impulse response

Battery power for 4.5 hours of outdoor operation

Drum & Loop (60s expressive loop)

Bluetooth audio streaming

Free software controller

USB firmware update

Dimensions: 310 x 280 x 328 mm

Weight: 9.87 kg



№ 06

NUX MG-100

NUX

13 classic amplifiers and 11 speaker cabinet models equipped with NUX TS/AC Technology

A total of 58 effects; Up to 8 can be used simultaneously

3-band vintage EQ modeling for each amp model

6-band graphic EQ

User friendly interface - High quality TFT LCD display

Realistic drum sounds and 56 drum rhythms

Expression loop up to 40 seconds, unlimited overdubs

Hit the tempo

Auxiliary Login

A multi-function expression pedal can be assigned to control any parameter or master volume.

Large color TFT LCD panel (160 x128), graphic interface

A total of 72 presets, 36 factory + 36 user presets

New generation 32-bit DSP, high-performance 24Bit

44.1kHz AD/DA converter

Operates on batteries and AC adapter (ACD-007A). All

six AA/LR6 alkaline batteries provide up to 8 hours of

continuous use.



№ 07

NUX MG-300

NUX

The Expression Pedal can be used to control volume or effects.

WAH: Controls the WAH filter.

EFX: Controls the GAIN (DRIVE) setting of OD/DIST. Or controls the PITCH parameter of the PITCH BENDER.

AMP: Controls the LEVEL setting of the AMP.

MOD: Controls the MIX level of modulation effects.

DLY: Controls the MIX level of the delay effects.

RVB: Controls the MIX level of reverb effects.

TSAC-HD Pre-Effects and Amp Modeling provide realistic feel and playability.

Core-Image Post-Effects offer you studio sound quality.

Download 3rd party IRs to expand audio capabilities.

USB audio streaming to recording interface with routing setup.

Sync with 56 drum beats and 60 second Phrase Loop Rhythm.

Global 3-band EQ for quick adjustments in live application.



Amplifiers



№ 08

NUX NDS-2

NUX

Using a hybrid of circuits, we have created truly unique pre-amp and power tube distortion characteristics. You will be amazed to hear the warm, organic tone reproduced.

The Brownie has a specially designed BJT input stage that causes the preamp tube to "split" when it begins to deform. It also features an asymmetrical clipping circuit that allows it to simulate some of the characteristics of an actual tube amplifier.

Input Impedance: 470 Kohm

Output Impedance: 100ohm

Power Input: Standard 9V DC, center negative >100mA (power supply not included)

Weight: 174 g/ 6 oz

Dimensions: 94 (L) x 51 (W) x 53 (H) mm



№ 09

NUX AC-25

NUX

The NUX AC-25 is a compact acoustic amplifier with a built-in rechargeable battery that can run for 4 hours for busking. It features a 6.5 inch speaker, Modeling Preamps, Reverb, Bluetooth Audio Stream, Drum Machine. The AC-25 offers you Stageman and LBox amplifier models, the Stageman is based on NUX's iconic acoustic amplifier with rich bass response and warm sound, and the LBox based on a popular US acoustic amplifier brand that offers transparent acoustic tone.

25W warm sound with Amp Modeling technology. (Stageman / LBox)

Plate & Hall reverb

Dual channel for instrument and microphone

The battery lasts for 4 hours

Bluetooth for APP & Audio Stream

AUX IN, PHONE OUT, LINE OUT

Input Impedance: CH1= 1M ohm, CH2= 2K ohm

Size: 280 x 218 x 220mm

Weight: 5 kg



№ 10

NUX PA-50

NUX

The NUX PA-50 is a 50W multipurpose two-channel monitor with a responsive 6.5" driver and 1" tweeter.

Full range, flat frequency response

RMS power: 50W.

Frequency response: 50-20000 Hz (-3 dB).

Power consumption: 88 W.

Speakers: 6.5" and tweeter 1".

Inputs: 6.35mm, 6.35mm/XLR combo.

AUX IN input: 3.5 mm.

AUX OUTPUT: 6.35mm.

Input Impedance Channel 1: 2.2 mΩ.

Input Impedance Channel 2: 100 kΩ.

AUX input impedance: 6.6 kΩhm.

Three-band equalizer:

Bass 10Hz@80Hz

Average 10Hz@1.8Hz

Treble 10Hz@15Hz

Power supply: AC100-120V, AC220-240V (50/60Hz).

Dimensions: 361 x 364 x 325 mm.

Weight: 11.5 kg



№ 11

NUX Mighty Lite BT

NUX

Nux Mighty Lite BT is the new standard for mini class amplifiers. It's a lightweight all-in-one amp that can be taken anywhere you want to play guitar. This low wattage amplifier can be powered by AC power supply, USB connection or 6 x AA batteries.

Mighty-Lite-BT Nux Mighty Light BT Portable Digital Combo Amplifier, 3W, Nux Cherub

Portable desktop combo amp.

Power 3W.

3 channels: clean, overdrive, distortion (Clean, Overdrive, Distortion).

Digital effects: delay, reverb.

Built-in drum machine

Power supply: 9V adapter, batteries, 5V USB.

Bluetooth connection.

Internal effects: yes

Power, W: 3

FX Loop: No



№ 12

NUX Mighty Air

NUX

Wireless Stereo Modeling Amplifier for Guitar and Bass
The NUX Mighty Air is a wireless stereo modeling amp for electric guitar and bass, ideal as a home practice amp, small jams or pre-show warm-up amp. Despite its compact size, the compact combi offers numerous useful functions.

13 amps, 20 IRs and 19 effects

TSAC-HD technology (true analog circuit simulation)

Two 2" dedicated speakers with passive bass radiator

Four-channel Guitar Mode (Clean, OD, Distortion, Acoustic Guitar Simulation)

Three-channel bass mode (pop, rock, funk)

A wireless transmitter is included for wireless play

Editing capabilities via the MightyAmp Mobile App for iOS and Android

Rechargeable battery with up to 18 hours of playback time

Output Power (Watt): 8

Stereo: Yes

Number of speakers: 2

Speakers: 2x2"

Amp modeling: Yes

Reverb: Yes

Internal effects: Yes

Integrated effects processor: Yes

Effect Loop: No

Headphone connection: Yes

AUX Input: Yes

USB Connection: No

MIDI interface: No

Footswitch connection: No

Includes Footswitch: No

Connection for External Speaker: No

Battery operation: Yes

Front panel design: Flat

Width (mm): 91

Height (mm): 98

Length (mm): 186

Weight (kg): 0.78



№ 13

NUX DA30BT

NUX

The NUX DA-30BT is designed for portable electronic drum monitoring with bluetooth. The speaker responds very well to the drum frequency, and the low frequency range is also adjustable. The DA-30BT is also compatible with any electronic keyboard, digital piano or synthesizer. It has 2 inputs with independent volume control, which can be useful for 2 musicians sharing monitoring in the studio or just playing at home. NUX DA-30BT 30W power amplifier, 10" full-range speakers, circuit design significantly optimized for the frequency characteristics of various drum instruments.

Output power: 30W

Power consumption: 40W

Input Impedance Ch.1: 68KΩ

Input Impedance Ch.2: 68KΩ

Bass: ±15dB@60Hz

Treble: ±15dB@10kHz

Speaker: Coaxial (10" LF+1" HF)

Dimensions: 430(H) x 390(W) x 340(D) mm

Weight: 15 kg



№ 14

NUX Mighty Bass 50BT

NUX

Versatile modeling combo for electric bass with Bluetooth
Modeling combo for electric bass

50 watts of power

One Nux 6.5" woofer in a bass reflex cabinet

Nux TSAC modeling technology and IR dynamic simulations for extra natural sounds

Extensive modeling of bass amps, cabinets and effects with the ability to load custom impulse responses

Gain and Master controls

3-band tone control with semi-parametric midrange

Reverb effect with Level and Decay controls

Two Para buttons for adjusting effect-dependent parameters

Three "channels" to store presets

Integrated Drum Computer and 60s Recorder (requires connection to free Nux software)

Integrated audio interface

Balanced XLR DI Out with ground riser

Bluetooth connectivity to connect to the free Mighty Amp

Mobile app and play audio tracks

USB port for audio interface and software updates

Headphone jack

Auxiliary input

Compact housing with integrated slide

Output Power (Watts): 50

Circuit: Class D

Speakers: 1x6.5"

Bass Reflex System: Yes

Twitter: Nope

Number of channels: 1

Volume control: 3-Band EQ

Replaceable Pad: No

Adjustable Lower Trim: No

Integrated effects processor: Yes

Internal effects: Yes

FX-Loop: No; Tuner: No; AUX Input: Yes; LINE: Nope

OUTPUT: No; Output: Pre+Post; Note Output: Yes

Tuner output: No; Headphone connection: Yes

USB interface: No; Connection for External Speaker: No

Tilt Back Design: No; Footswitch connection: Yes

Includes Footswitch: No

Wheels: No

Width (mm): 300

Height (mm): 326

Length (mm): 225

Weight (kg): 7.2



№ 15

NUX DA30BT

NUX

The Mighty 40 BT is a fully digital 20W combo amplifier.
Control via mobile application.

With the new mobile app, you can control the Mighty 20BT and customize its sound. Also play music to play along with your favorite songs.

Output power: 40W.

Speaker: 10".

4 channels (Clean, Overdrive, Metal, Lead). Each channel has 2 presets.

Gain and level control, 3-band EQ (bass - mid - high) and master volume.

18 different effects (Chorus, Phaser, Tremolo, Delay and Reverb).

3 types of reverb and 3 types of delay.

3 effects can be activated at the same time (Mod - Delay - Reverb).

Tap Tempo.

3.5 mm AUX input, headphone output.

Tuner.

USB port for updates.



RODE
SAMSON
RCF
DYNACORD



Microphones



№ 16

NUX B-3Plus

NUX

The NUX B-3 Plus is a robust 2.4 GHz wireless microphone system designed for those who want to use their favorite wired microphone wirelessly.

The B-3 Plus is a rechargeable battery powered system that connects quickly and easily to the microphone and input XLR jacks. No wires and no expensive batteries are required as it is completely USB charged

32-bit / 48KHz High-Resolution Audio Quality

6 Internal switchable channel

Super Low Latency:< 4ms

Range: > 100 feet line-of-site Outdoors.

Dynamic range: 108 db

Operating Band: 2.4GHz ISM Worldwide

THD + Noise:< 0.02% (1KHz@-10dbFS)

Battery life: 5 hours



№ 17

NUX B-2 Plus

NUX

The NUX B-2 PLUS is a pocket-sized 2.4GHz wireless system that offers guitarists an easy solution for wireless performance. Step on the latest NUX wireless transmission algorithm, B-2 PLUS provides better connection in noisy RF environment.

Operating frequency range: 2.4 GHz

Sound quality: 32 bit / 44.1 kHz

Operating Range: Up to 15 meters / 60 feet line of sight (depending on environment)

Frequency response: 20 Hz – 20 kHz

Latency: less than 5ms

THD+ Noise: Less than 0.05% 1kHz @-10dbFS

Internal Battery Capacity: 3.7V/750mA (transmitter and receiver)

Battery Life: Up to 7 hours of play time

Dimensions: 73(L) x 40(W) x 55(H) mm

Weight: 57g



№ 18

NUX C-5RC

NUX

C-5RC is designed for wireless connection of electronic musical instruments with 5.8GHz wireless technology.

Operating frequency range: 5.8 GHz

Sound quality: 24 bit / 44.1 kHz

Operating Range: Up to 30 meters / 100 feet line of sight (depending on environment)

Frequency response: 20 Hz – 20 kHz

Latency: Less than 5.5ms

THD+Noise: Less than 0.2% @1kHz

Auto Sleep mode: After 10 minutes without operation

Transmitter/receiver battery capacity: 500mAh / 3.7V

Transmitter/receiver battery life: more than 4 hours

Power box battery capacity: 3000mAh / 3.7V

Transmitter/receiver size: 108mm(L) x 30mm(W) x 21mm(H)

Power Box Size: 132mm(L) x 93mm(W) x 50mm(H)

Power box: 196 g,

Transmitter/receiver: 34g



№ 19

NUX B-6

NUX

The NUX B-6 wireless system allows saxophonists to move freely around the stage without being tethered to a microphone stand. With an operating range of 20 meters, the NUX B-6 wireless system for Saxophone can significantly improve your performance comfort.

Operating frequency range: 2.4 GHz

Sound quality: 24 bit / 44.1 kHz

Operating Range: Line of sight up to 20 meters / 67 feet (depending on environment)

Frequency response: 20 Hz – 20 kHz

Latency: less than 4ms

THD+ Noise: Less than 0.2% 1kHz @-10dbFS

Automatic sleep mode: after 10 minutes of operation

Internal Battery Capacity: 3.7V/500mA (transmitter and receiver)

Power box battery capacity: 3000mAh

Battery life: > 4 hours

Dimensions: 153(L) x 113(W) x 55(H) mm

Weight: 389 g



№ 20

NUX B-5RC

NUX

It's time to free yourself from cables and experience a whole new level of wireless freedom with the NUX B-5RC wireless system.

Upgraded with the latest NUX technology innovation and improved algorithm, the B-5RC is suitable for all types of Electric Guitars, Acoustic-Electric Guitars

Operating frequency range: 2.4 GHz

Audio quality: 24-bit 44.1 kHz

Operating Range: Up to 30 meters / 100 feet line of sight (depending on environment)

Frequency response: 20 Hz – 20 kHz

Latency: less than 5ms

THD+ Noise: Less than 0.05% 1kHz @-10dbFS

Automatic sleep mode: after 10 minutes of operation

Internal Battery Capacity: 3.7V/500mA (transmitter and receiver)

Power box battery capacity: 3000mAh

Battery Life: Up to 15 hours of playtime

Dimensions: 107 * 25 * 26 mm (L * W * H)

Weight: 68g

Accessories

azzerco





№ 21

NUX B-3MA

NUX

The NUX B-3MA is a phone holder for using the B-3 radio system with any cell phone for video blogging or live streaming. Phone holder with cold shoe and 3.5mm TRS to TRRS adapter cable for most mobile phones



№ 22

NUX PIANO STOOLBENCH

NUX

This Piano Bench from NUX offers style and comfort and is suitable for both keyboard and piano players. This bench is sturdy with a base that uses Iron as its material. The seat offers comfort and stability with materials used such as leather, rubber and sponge.


Piano seat.

Wooden bench with black vinyl covered seat.

Music storage compartment.

Straight legs.

Polished black wood. 75cm (W) x 35cm (D) x 47.5cm (H).



№ 23

NUX Drum Rug

NUX

Constructed from premium carpet, the Nux Drum Rug is durable enough to handle your drumming style. And thanks to the non-slip rubber surface on the bottom, you won't have to worry about your kit slipping away while you're drumming. The carpet is decorated with the Nux logo.

Color: Black

Dimensions: 1.3m x 1.3m

Material: Black Carpet, Non-slip under surface



№ 24

NUX ACD-006A

NUX

Save your batteries!! The ACD-006A is the ideal power supply for ALL NUX pedals.

The new NUX ACD-006A switching power adapter is highly efficient for use with guitar pedals. It has a switching regulator to control the conversion of electricity. Tension stabilization is also very important for pedal sound.

Input: AC 100V ~ 240V

Output: 9V, 500mA

Replaceable plug adapter



№ 25

NUX NPS-1

NUX

Turn the NU-X NPK-10 Portable 88 Key Digital Piano with the NPS-1 stand into a beautiful piece of solid musical furniture. This wooden stand is finished in black to complement the black color of the piano and includes 3 pedals that simply plug into the bottom of the piano at the appropriate port. There are cable clips to hide the pedal cord.



№ 26

NUX PIANO NBS-1

NUX

The NBS-1 NUX is ideal for chair, pianists and keyboard players. Perfectly foldable and portable, easy to use and mobile, ideal for high performance musicians looking for practical and reliable music stands. Electric pianos, organs, keyboards, etc. is recommended for

There are chairs made of a wide variety of materials and models, such as wood or metal, methacrylate, stone, etc. made of noble materials such as There are chairs that are adjustable in height and tilt for better reading of the texts placed on them. In addition to their usual use in liturgies, they are used in all kinds of events, be it political, sports, music, conferences, or anywhere that requires a presentation or speech by a speaker or host.



№ 27

NUX GP-1

NUX

The Nux GP1 is the portable guitar plug-in amp you've been looking for. You can play your electric guitar anytime, anywhere. You can adjust the gain and tone level according to your preference. The built-in aux input allows you to connect any media device and connect to songs or backing tracks. You can self-intuitive interaction and perform through headphones, minimizing loud play sessions without disturbing the neighborhood.

Color: - Black

Inputs: - Aux-In, 3.5 mm Headphone Input

Buttons: - Gain, Tone, Volume

Power supply: 2 AAA batteries

Battery life: approx. 40 hours (alkaline batteries)

approximately. 8 hours (Carbon batteries)

Dimensions: 100 x 88 x 23 (L W H)

Weight: 43 g

azerc

azerco

SOUND | MUSIC | STAGE



+994 50 226-07-90



info@azerco.az



www.azerco.az